




Cast Tiles Industry

where strength and quality matters



MODEL NUMBERS WITH PRODUCTS



Cast Tiles
INDUSTRY



Cast Tiles
INDUSTRY


GENERAL SPECIFICATION

- Water absorption less than 3%
- Wearability less than 0.4g/sq.cm
- Thickness Variation +/- 2mm)
- Color Variation As Per Batch

PRODUCT INGREDIENTS

- Cement Standard:GOST 10178-85
- Washed Sand (Sieve Cell 2.5-3.5)Standard:ASTM C33/33M-081
- Crush (3-6mm)
- UV Pigment Bayer
- Plasticizers by (BASF)
- Polypropylene Fiber
- Cement & Sand mix proportion Ratio 1: 1, 1:2, 1:3 according to product type
- Treated water Standard followed (GOST-237-32-79)
- Dust less than 2%

FLOORING



RANDOM 6 (TEXTURE)


SIZE: 4X4,4X8,8X13,8X17,13X13

COLOR: AS PER NEEDED

THICKNESS: 20MM TO 22MM

TILES IN A METER: AS PER SET

PURPOSE : FLOORING



RANDOM 5 (PLAIN)

SIZE: 4X4,4X8,8X13,8X17,

COLOR: AS PER NEEDED

THICKNESS: 20MM TO 22MM

TILES IN A METER: AS PER SET

PURPOSE : FLOORING



PL-1091

SIZE: PAIR
COLOR: RED ,GREY,WHITE
THICKNESS: 18 TO 22MM
TILES IN A METER: 22.33
PURPOSE : FLOORING



RS-1090

SIZE: PAIR
COLOR: RED ,GREY,WHITE
THICKNESS: 18TO22
TILES IN A METER: 19.50
PURPOSE : FLOORING



ROCKERY


SIZE: 12X12,12X24,24X24,24X48

COLOR: RED ,GREY,WHITE

THICKNESS: AS PER SIZE

TILES IN A METER: AS PER SET

PURPOSE : FLOORING



1503 (FAN)


SIZE: ODD

COLOR: RED ,GREY,WHITE

THICKNESS: 20 to 22 mm

TILES IN A METER: 12.54

PURPOSE : FLOORING



COBBLE

SIZE: ODD

COLOR: RED ,GREY

THICKNESS: 20mm

TILES IN A METER:

PURPOSE : FLOORING




A-1090

SIZE: 8X8
COLOR: RED ,GREY,WHITE
THICKNESS: 20 TO 24 MM
TILES IN A METER: 24.23
PURPOSE : FLOORING



V-001

SIZE: ODD
COLOR: RED ,GREY,WHITE
THICKNESS: 20mm to 22mm
TILES IN A METER: 48 pcs
PURPOSE : 3D FLOORING



V-002


SIZE: ODD

COLOR: RED ,GREY,WHITE

THICKNESS: 20MM TO 22MM

TILES IN A METER: 24.22 PCS

PURPOSE : 3D FLOORING



HEXA-8



SIZE: ODD

COLOR: RED ,GREY,WHITE

THICKNESS: AS PER SIZE

TILES IN A METER: 28 PCS

PURPOSE : FLOORING



1716

SIZE = 17X17

COLOR = RED ,GREY,WHITE,

THICKNESS = 24MM TO 28MM

TILES IN A METER = 5.4 PCS

PURPOSE : COBBLE LOOK FOR FLOORING



A-1278

SIZE = 12X12

COLOR = RED ,GREY, WHITE,

THICKNESS = FROM 18MM TO 36MM

TILES IN A METER = 10.76




A-1279

SIZE = 12X12

COLOR = RED ,GREY,WHITE,

THICKNESS = 18MM TO 22MM

TILES IN A METER = 10.76



A-1279



1279

SPECIFICATION

Size Available

1.A-1279/1279:300x300x15mm

Colors Available

Grey-Terracotta-White



A-1280

SIZE = 12X12

COLOR = RED ,GREY,WHITE,

THICKNESS = 18MM TO 22MM

TILES IN A METER = 10.76



A-1281

SIZE = 12X12

COLOR = RED ,GREY,WHITE,

THICKNESS = 18MM TO 22MM

TILES IN A METER = 10.76



A-1281

1281




A-1282

SIZE = 12X12

COLOR = RED ,GREY,WHITE,

THICKNESS = 18MM TO 22MM

TILES IN A METER = 10.76



A-1282

1282



A-1283

SIZE = 12X12

COLOR = RED ,GREY,WHITE,

THICKNESS = 18MM TO 22MM

TILES IN A METER = 10.76



A-1284

SIZE = 12X12

COLOR = RED ,GREY,WHITE,


THICKNESS = 12MM

TILES IN A METER = 10.76

NATURE=Anti -slip, swimming pool deck



1284
Size: 300 x 300 x 10mm



A-1284
Size: 300 x 300 x 10mm



Cast Tiles
INDUSTRY


A-1285

SIZE = 12X12

COLOR = RED ,GREY,WHITE,

THICKNESS = 18MM TO 22MM

TILES IN A METER = 10.76



A-1285



1285

A-1286

SIZE = 12X12

COLOR = RED ,GREY,WHITE,

THICKNESS = 18MM TO 22MM

TILES IN A METER = 10.76



A-1287

SIZE = 12X12

COLOR = RED ,GREY,WHITE,

THICKNESS = 18MM TO 22MM

TILES IN A METER = 10.76




A-1288

SIZE = 12X12

COLOR = RED ,GREY,WHITE,

THICKNESS = 18MM TO 22MM

TILES IN A METER = 10.76



A-1289

SIZE = 12X12

COLOR = RED ,GREY,WHITE,

THICKNESS = 18MM TO 22MM

TILES IN A METER = 10.76




A-1290

SIZE = 12X12

COLOR = RED ,GREY,WHITE,

THICKNESS = 18MM TO 22MM

TILES IN A METER = 10.76






A-1291

SIZE = 12X12

COLOR = RED ,GREY,WHITE,

THICKNESS = 18MM TO 22MM

TILES IN A METER = 10.76



A-1292

SIZE = 12X12

COLOR = RED ,GREY,WHITE,

THICKNESS = 18MM TO 22MM

TILES IN A METER = 10.76




A-1293

SIZE = 12X12

COLOR = RED ,GREY,WHITE,

THICKNESS = 18MM TO 22MM

TILES IN A METER = 10.76



A-1294

SIZE = 12X12

COLOR = RED ,GREY,WHITE,

THICKNESS = 18MM TO 22MM

TILES IN A METER = 10.76



A-1295

SIZE = 12X12

COLOR = RED ,GREY,WHITE,

THICKNESS = 18MM TO 22MM

TILES IN A METER = 10.76



A-1296

SIZE = 12X12

COLOR = RED ,GREY,WHITE,

THICKNESS = 18MM TO 22MM

TILES IN A METER = 10.76



A-1297

SIZE = 12X12

COLOR = RED ,GREY,WHITE,

THICKNESS = 18MM TO 22MM

TILES IN A METER = 10.76



1298

SIZE: 12x12

COLOR: RED ,GREY,WHITE

THICKNESS: 18mm TO 22mm

TILES IN A METER: 10.76

PURPOSE : FLOORING



A-1299

SIZE: 12x12

COLOR: RED ,GREY,WHITE

THICKNESS: 18mm TO 22mm

TILES IN A METER: 10.76

PURPOSE : FLOORING



TERRAZO TILES

SIZE = 12X12, 16X16, 20X20, 24X24

COLOR = RED ,GREY,WHITE,

THICKNESS = 18MM TO 22MM

TILES IN A METER = AS PER SIZE



2086

SIZE = 20X20

COLOR = RED ,GREY,WHITE,

THICKNESS = 20MM TO 36MM

TILES IN A METER = 4.07

PURPOSE : ANTI SLIP FOR SWIMMING
POOL AND ABLUTION ROOM



A-2086
Size: 50 x 50 x 30mm



2086
Size: 50 x 50 x 30mm



Cast Tiles
INDUSTRY

B-2087 (Button)


SIZE = 17x19

COLOR = RED ,GREY,WHITE,

THICKNESS = 20MM TO 36MM

TILES IN A METER = 4.54

PURPOSE : ANTI SLIP FOR SWIMMING POOL AND ABLUTION ROOM , ETC



2486

SIZE =24X24

COLOR = RED ,GREY,WHITE,

THICKNESS =25MM TO 30MM

TILES IN A METER = 2.69

PURPOSE :FLOORING (AVALIABLE IN ANTIQUE,POLISHED, BRUSHED, PLAIN)



1509

SIZE: 15X15

COLOR: RED ,GREY,WHITE


THICKNESS: 20 TO 24MM

TILES IN A METER: 6.9

PURPOSE : FLOORING



ELEVATION



E-3012


SIZE: 15X10

COLOR: AS PER NEEDED

THICKNESS: 20MM

TILES IN A METER: 10.35 pcs

PURPOSE : ELEVATION



E-3014

SIZE: 19X4, 12X4

COLOR: AS PER NEEDED

THICKNESS: 19 to 28mm

TILES IN A METER: 19.80

PURPOSE : ELEVATION



E-3015


SIZE: 12x6 inch

COLOR: AS PER NEEDED

THICKNESS: 17mm

TILES IN A METER: 21.52 pcs

PURPOSE : ELEVATION



E-3081/82

SIZE: 17x8 inch

COLOR: AS PER NEEDED

THICKNESS: 18 to 28mm

TILES IN A METER: 11.82

PURPOSE : ELEVATION



E-3081/82



E-123



SIZE: 24x12

COLOR: AS PER NEEDED

THICKNESS: 11mm to 16 mm

TILES IN A METER: 5.38 pcs

PURPOSE : ELEVATION



E-CUBES



SIZE: 23x12

COLOR: AS PER NEEDED

THICKNESS: 12mm

TILES IN A METER: 5.63 pcs

PURPOSE : ELEVATION



E-3D SQUARE 36



SIZE: 12x12 inch

COLOR: AS PER NEEDED

THICKNESS: 13 to 23 mm

TILES IN A METER: 10.76

PURPOSE : ELEVATION



E-ZIGZAG

SIZE: 20x12

COLOR: AS PER NEEDED

THICKNESS: 14 to 18mm

TILES IN A METER: 6.5 pcs

PURPOSE : ELEVATION



E-6


SIZE: 15.5x8 inch

COLOR: AS PER NEEDED

THICKNESS: 15mm

TILES IN A METER: 12.9

PURPOSE : ELEVATION



E-10L80/ANTIQUE



SIZE: 19.5x9.75

COLOR: AS PER NEEDED

THICKNESS: 22 mm

TILES IN A METER: 8.09

PURPOSE : ELEVATION



E-10L81

SIZE: 19.5x9.75

COLOR: AS PER NEEDED

THICKNESS: 20 to 22mm

TILES IN A METER: 8.09

PURPOSE : ELEVATION



RANDOM-9

SIZE:


**(2.5x5.5),(2,5x8.5),(2.7x11.75),
(5.7x5.7), (5.7.8.7), (5.7x11.5),
(5.7x14.7),(8.7x8.7),(8.7x11.5)**

COLOR: AS PER NEEDED

THICKNESS: 10mm to 25mm

TILES IN A METER:AS PER SET

PURPOSE : ELEVATION



BR-901


SIZE: 2.25x9.5 inch

COLOR: AS PER NEEDED

THICKNESS: 16MM TO 30 MM

TILES IN A METER: 72 pcs

PURPOSE : ELEVATION



E-3016 COMB

SIZE: 12x6

COLOR: AS PER NEEDED

THICKNESS: 10mm TO 21mm

TILES IN A METER: 21.52 pcs

PURPOSE : ELEVATION



E-PATTI

**SIZE:(2.5x8),(2x8),(2x12),
(2.8x11.5), (4x12),(6x12)**

COLOR: AS PER NEEDED


THICKNESS: 10mm to 15mm

**TILES IN A METER:
(78),96),65),48),32),21.52).**

PURPOSE : ELEVATION



LATTICE/JALI





J-001

SIZE: 12X12

COLOR: WHITE RED GREY

THICKNESS: 45MM

**PURPOSE : ELEVATION,
SEPERATION, GRASS GROWING**



J-002

SIZE: 12X12

COLOR: WHITE RED GREY

THICKNESS: 45MM

**PURPOSE : ELEVATION,
SEPERATION, GRASS GROWING**



J-003

SIZE: 12X12

COLOR: WHITE RED GREY

THICKNESS: 45MM

**PURPOSE : ELEVATION,
SEPERATION, GRASS GROWING**



J-004

SIZE: 12X24

COLOR: WHITE RED GREY

THICKNESS: 45MM

**PURPOSE : ELEVATION,
SEPERATION, GRASS GROWING**




J-005

SIZE: 8X10

COLOR: WHITE RED GREY

THICKNESS: 35MM

**PURPOSE : ELEVATION,
SEPERATION, GRASS GROWING**




J-006

SIZE: 12X12

COLOR: WHITE RED GREY

THICKNESS: 45MM

**PURPOSE : ELEVATION,
SEPERATION, GRASS GROWING**





J-007

SIZE: 12X12

COLOR: WHITE RED GREY

THICKNESS: 45MM

**PURPOSE : ELEVATION,
SEPERATION, GRASS GROWING**



J-008

SIZE: 12X12

COLOR: WHITE RED GREY

THICKNESS: 45MM

**PURPOSE : ELEVATION,
SEPERATION, GRASS GROWING**




J-009

SIZE: 12X12

COLOR: WHITE RED GREY

THICKNESS: 45MM

**PURPOSE : ELEVATION,
SEPERATION, GRASS GROWING**




J-1010

SIZE: 12X12

COLOR: WHITE RED GREY

THICKNESS: 45MM

**PURPOSE : ELEVATION,
SEPERATION, GRASS GROWING**



PhotoRoom®



J-1011

SIZE: 12X12

COLOR: WHITE RED GREY

THICKNESS: 45MM

**PURPOSE : ELEVATION,
SEPERATION, GRASS GROWING**



Foto: HISTORIAS DE CASA




J-1012

SIZE: 12X12

COLOR: WHITE RED GREY

THICKNESS: 45MM


**PURPOSE : ELEVATION,
SEPERATION, GRASS GROWING**



INSULATION TILES



HEAT PROOF TILE

 **NED UNIVERSITY OF ENGINEERING AND TECHNOLOGY**
Department of Materials & Metallurgical Engineering
MATERIAL TESTING LABORATORIES

011- 99261261-48, Ext.: 2516
Fax: 99261255
Email: gidad@neduet.edu.pk


Customer Name: CAST TILES INDUSTRY
Type of sample: CERAMIC TILE (GPH)
Date: July 1, 2019


HEAT TRANSFER TEST

Sr. No.	Sample	Thickness mm	Expose Time hr	Average Temperature Observed					
				At 40°C	At 50°C	At 60°C	At 70°C	At 80°C	At 90°C
I.	Ceramic Tile	40mm	1 hr	35°C	37°C	38°C	38°C	40°C	40°C

Remarks

- Results pertain to the sample received and sampling was done at your end.
- No counter portion/un-exposed part of the sample has been retained.
- Test report cannot be made a part of the litigation/court proceedings.


Dr. Ali Dad Chandio
Associate Professor &
Testing Coordinator/Lab Incharge


Prof. Dr. Amir Iqbal
Chairman Materials & Metallurgical Engineering
Departments



17

HP-1689


SIZE: (16X16), (20X20) inch

COLOR: cement white




THICKNESS: 44 mm

TILES IN A METER: 6.04, 4.07

PURPOSE : ELEVATION



3D ELEVATION



3D TRIANGLE SERIES




SIZE: HEIGHT 9inch & 7inch

COLOR: GREY , WHITE


TILES IN A METER: (33)pcs & (55)pcs

PURPOSE : ELEVATION, SPECIAL WALLS


DIFFERENT COLORS



Cast Tiles
INDUSTRY



PhotoRoom®



3D SQUARE SERIES

SIZE: HEIGHT 8 INCH

COLOR: GREY, WHITE

TILES IN A METER: 24 PCs

**PURPOSE : ELEVATION,
SPECIAL WALLS**






3D HEXA

SIZE: 5.25 INCH approx.

COLOR: GREY, WHITE

TILES IN A METER: 62 PCs

**PURPOSE : ELEVATION,
SPECIAL WALLS**




PATIO MOTIVES



SUN SHINE CIRCLE

DIAMETER: 12 FT

COLOR: AS PER NEED



SUN CIRCLE

DIAMETER : 8FT

COLOR : AS PER NEED



RODENDA CIRCLE

DIAMETER: 10 FT

COLOR : AS PER NEED



SLEEPERS


SIZE: 9 INCH X 34 INCH

13 INCH X 48 INCH


6 INCH X 36 INCH

COLOR : GREY, POLISHED

PURPOSE: GARDEN WAY & DRIVEWAY



OTHER PRODUCTS



GOLA 24 INCH



GOLA 12 INCH



SCARTING ROOF TILES




KERB STONE 8 X24



KERB STONE 12X12


PhotoRoom®



BULL NOSE ANTI SLIP STEP 12X36



BULL NOSE ROCKERY 24X24 STEP



BULLNOSE 12X36 INCH



BULLNOSE 7X24 INCH



COPING 2SIDE 4X12 INCH



COPING 1SIDE 5X12 INCH



COPING 6X24



COPPING HUT 2 12X24 INCH


OTHER PRODUCTS



BORDER 3X18 INCH



GARDEN FEET



CHOPPED WOOD

GARDEN BENCH



PhotoRoom



PEBBLES

